RONALD A. LOHNER, M.D., F.A.C.S. RECONSTRUCTIVE SURGERY Phone: 610-519-0600

AESTHETIC SURGERY Rosemont Business Campus 919 Conestoga Rd. Bldg 1, Suite 200 Rosemont, PA 19010

Fax: 610-519-1238

POST OPERATIVE CARE LIPOSUCTION

Post op care:

- Compression garment to be worn 24/7 for 1 week, then as recommended by Dr. Lohner
- May shower 24 hours after surgery
- No straining, lifting, or bending for 2 weeks
- No aspirin or ibuprofen for 5 days
- Can operate a motor vehicle 24 hours after last dose of narcotic pain medication
- Rest can resume most activities in 2-3 weeks and exercise in 4-6 weeks

What to expect:

- Swelling and bruising can occur up to 1 week post op. May take several weeks (bruising) to several months (swelling) to resolve
- Moderate discomfort take pain medication as directed
- Constipation may occur with narcotic pain medicine increase fluid intake and use mild laxative or stool softener if needed
- Numbness, tingling, and sensitivity to physical contact may persist for several weeks or longer

Follow-up:

- Follow up appointment 7-10 days post operatively unless otherwise directed by Dr. Lohner
- May return to work 1 week post op

DO NOT HESITATE TO CALL THE OFFICE WITH ANY QUESTIONS OR CONCERNS

all office to