

POST OPERATIVE CARE NECKLIFT

Post op care:

- Ice packs to neck 24-48 hours ***Do not exceed 20 min on/20 min off**
- Keep head, neck, and shoulders elevated while sleeping
- No straining, lifting, or bending for 1-2 weeks
- No aspirin or ibuprofen for 7 days
- Take pain medication, antibiotic, and other prescribed medicines as directed
- No make-up until at least 24 hours after suture removal
- Avoid exposure to sun, use sunblock and hat.
- No hair coloring for 3 weeks post op.
- Can operate a motor vehicle 24 hours after last dose of narcotic pain medication
- Do not smoke—smoking delays healing and affects circulation
- Rest – can resume most activities in 2-3 weeks and exercise in 4-6 weeks

What to expect:

- Swelling and bruising can occur 48-72 hours post op. May take several weeks (bruising) to several months (swelling) to resolve
- Moderate discomfort usually described as tightness or pulling sensation
- Asymmetry- right and left sides will heal at different rates
- Constipation may occur from narcotic use – increase fluid intake and use mild laxative or stool softener if needed
- Numbness, tingling, and sensitivity will persist for several weeks to months

*If also had blepharoplasty:

- Blurred vision, photosensitivity, tearing, or dryness may occur. Use dark glasses and lubricating ointment as needed
- No contact lenses for 7-10 days

Follow-up:

- Follow up appointment as directed by Dr. Lohner
- If also had blepharoplasty, follow up appointment 3 days post op

DO NOT HESITATE TO CALL THE OFFICE WITH ANY QUESTIONS OR CONCERNS

Pain medication: _____

Antibiotic: _____

Swelling: _____

Follow-up: _____ **please call office to arrange follow up appointment (610) 519-0600.**